

A NABO and IPY field Project 2010 Excavations at Skútustaðir, Mývatn Northern Iceland: Preliminary Field Report After the Excavation Season June – July 2010



Fornleifastofnun Íslands May 2011 FS 457-08273

Megan T. Hicks and Lilja Björk Pálsdóttir with

Þóra Pétursdóttir (FSI), Dr. Thomas H. McGovern, Aaron Kendall, Seth Brewington, Amanda Schreiner and George Hambrecht (all from CUNY). With C.U.N.Y Brooklyn College REU Program: Sophia Perdikaris (Director), Derya Gunyadin, Erin Friedman, Marissa Gamliel, Finessa Javier, Kimberly Kearns, Ingrid Lisudottir-Feeney, Ayo Oti, Reaksha Persaud, Joanna Tchurchenthaler & Jessica Vobornik.

Front page:

A group photograph of the 2010 season team members

© Fornleifastofnun Íslands Bárugötu 3 101 Reykjavík

Sími: 551 1033 Fax: 551 1047 Netfang: fsi@instarch.is

Table of Contents

Samantekt á íslensku	4
Summary	6
Excavations in Area E3	9
Excavations in area H	16
Faunal Analysis of Skútustaðir: a report on ongoing fieldwork and laboratory analysis.	24
Summary	
Introduction	25
Field Season 2010: Recovery of Faunal Remains in Area H	26
Field Season 2010: Recovery of Faunal Remains in Area E3	28
Ongoing Laboratory Analysis	30
Discussion	
Future Objectives: Field and Laboratory	35
Reference	
Skútustaðir 2010: Interim finds report	37
E3	
Н	38
Summary	38
Reference	
Appendices	39
Context register	
Finds register	40
Sample register	48

Samantekt á íslensku

Sumarið 2010 var haldið áfram að rannsaka bæjarhólinn að Skútustöðum í Mývatnssveit. Rannsókn á bæjarhólnum hófst þegar tekin voru borkjarnasýni á svæðinu árið 2007 en niðurstöður þeirrar borunar leiddu til uppgrafta sumurin 2008 og 2009.

Búið hefur verið á Skútustöðum frá fyrstu tímum Íslandsbyggðar, jörðin jafnvel talin vera með þeim elstu við Mývatn og að hún hafi fljótt orðið miðstöð jarða við sunnanvert Mývatnið.¹ Ýmislegt hefur komið fram við uppgröftinn sem styður háan aldur, gripasafnið bendir til búsetu á staðum allt frá landnámi og afstaða gjóskulaga við mannvistarlögin sýna einnig fram á búsetu frá fyrstu tíð.

Rannsóknarmarkmið fyrir árið 2010 voru að halda áfram uppgreftri á svæði H sem byrjað var að grafa árið 2009 auk þess að opna nýtt svæði, E3, sem er vestan og sunnan við núverandi íbúðarhús.

Á svæði H komu í ljós mikil ösku- og ruslalög sem hægt er að tímasetja nokkuð vel út frá gjóskulögum. Gjóskulögin sem komu í ljós voru frá 1717, tvö gjóskulög frá 17. Öld, þar af annað fá því snemma á 17. öld og loks lag frá 1477 sem var fjarlægt við lok uppgraftar en ekki var grafið niður fyrir það.

Mikið fannst af dýrabeinum og gripum á svæði H og á þetta sérstaklega við um jarðlög frá 1550-1850 þó að einnig hafi verið mikið um bein og gripi á tímabilinu 1477-1717.

Á hinu nýja svæði E3, sem er í framhaldi af E1 og E2 svæðum frá 2009, kom í ljós hlaðinn veggur. Veggurinn var hlaðinn úr torfi og grjóti en grjótið hefur verið hlaðið utan á þá hlið sem sjáanleg var innan uppgraftarmarka. Í torfi var að finna bæði landnámsgjósku og 940 gjósku. Hann hefur verið hlaðinn á tímabilinu 940-1262 því að síðarnefnda gjóskan lá óslitin yfir veggnum. Ekki voru önnur mannvirki rannsökuð á Skútustöðum þetta árið.

Vísbendingar um að reynt hafi verið að bæta tún á Skútustöðum með því að dreifa þunnum lögum af ösku og torfsneplum yfir svörð var að sjá á svæði E3. Við uppgröft kemur þetta fram sem þynnri lög eða linsur af mismunandi jarðefnum en þegar um hefðbundin ruslalög er að ræða. Þó ber að nefna að einnig gæti verið um endamörk ruslahaugs að ræða þar sem lögin verða mjög þunn til endanna. Þessar vísbendingar um jarðabætur eru þó ekki síður mikilvægar í ljósi þeirrar jarðeyðingar sem virðist hafa orðið þess valdandi að búskapur á tveimur jörðum í nágrenni Skútustaða, Sveigakot og Hrísheimar, lagðist snemma af á meðan Skútustaðir hafa haldist í byggð allt til dagsins í dag.

Í beinasafninu er mest af kinda- og geitabeinum en einnig er hátt hlutfall af nautgripabeinum miðað við aðra staði í Mývatnssveit sem hafa verið rannsakaðir. Þá er einnig athyglisvert að bein sjávarfiska finnast á Skútustöðum í bland við ferskvatnsfiska.

¹ Ágústa Edwald, ritstj. 2010. *Öskuhaugsrannsóknir á Skútustöðum í Mývatnssveit 2009. Framvinduskýrsla II.* Fornleifastofnun Íslands. Reykjavík. Bls. 7.

Gripasafnið er athyglisvert og fjölbreytt, en þar er að fina gripi allt frá því fyrir 1262 og til 20. aldar. Listafallegir útskornir gripir eru meðal annarra merkilegra gripa sem fundist hafa á Skútustöðum þetta árið.

Á Svæði H hafa flestir gripirnir fundist í jarðlögum milli gjóskulaga frá 1477 og 1717 en á svæði E3 eru flestir fundnir í jarðlögum sem eru tímasett til miðalda.

Nánari greining á gripum sem fundust 2010 fer fram samhliða greiningu á gripum sem kunna að koma í ljós 2011.

Uppgröftur mun halda áfram á Skútustöðum sumarið 2011.

Summary

In 2007 a joint FSÍ/CUNY NABO team, conducting a coring and test trenching survey, visited Skútustaðir following the discovery of a patch of eroding midden, noted by Árni Einarsson (of the Mývatn Research Station). Investigations in 2008, lead by Agusta Edwald and Thomas H. McGovern, followed up on the 2007 results with a set of test trenches. The three 2008 test units (D, E1&2, and F) located midden deposits with excellent organic preservation and multiple tephra horizons. Artifacts recovered and tephra observed in area D indicate that the deposits sampled date from ca. 1717-1477, E1 & 2 have an early Viking Age deposit directly upon the Landnám surface, and F revealed a very rich early modern midden deposit and an unexpected structural wall. The 2009 season saw a major expansion of the area D unit into two connected larger units G (13 sq m) and H (20 sq m). Unit G was carried-out down to lava bedrock, revealing an exceptionally productive Viking Age midden deposit packed into the natural fissures and crevices. Large artifact and eco-fact collections were recovered from the early modern and Viking age deposits, with excellent conditions of preservation throughout.

Objectives for the 2010 season included further excavation in Area H, where extensive deposits, in some places nearly two meters deep, are known to be present. In addition a new area was opened a midden near the contemporary house of Gerður Benediktsdóttir. Excavations of test pits E1 and E2 in 2008 indicated that deposits in the new area could be dated to the Viking age. In addition to adding to the collection of ecofacts and artifacts, we successfully integrated undergraduate students-in-training into our research process. Last, structural remains were unexpectedly found in the northern edge of area E3- further indication of the rich archaeological record at Skútustaðir. The structural remains were not excavated or otherwise disturbed as that was not within the scope or permit of the project.

Several related projects were carried out during the 2010 field season. These included the production of a blog and multimedia teaching tool composed by Aaron Kendall (CUNY, Ph.D. program in Archaeology). In addition, we collaborated with the local archaeological association, *Hið þingeyska fornleifafélag*, working closely with friend and host Unnsteinn Ingason in building a community consisting of local and international groups support of archaeology in Pingeyjarsýsla. Visiting student trainees from the Research Experience for Undergraduates (REU) program lead by Dr. Sophia Perdikaris from CUNY Brooklyn College. Collaboration continued with the *Hið pingeyska fornleifafélag* and the Litlulaugaskóli and Hafralækjarskóli KAPI (Kids Archaeology Project Iceland, formerly *Fornleifaskóli barnanna*). The project is part of a larger NABO (North Atlantic Biocultural Organization) and IPY (International Polar Year) program *Human Ecodynamics in the North Atlantic*, which works to coordinate international interdisciplinary projects in the Shetlands, Faroes, Iceland, and Greenland

(see <u>www.nabohome.org</u>). KAPI (Kids Archaeology Project Iceland) is locally headed by Sif Jóhannesdóttir and Pétur Ingólfsson with collaboration from the REU program.

The excavation of the rich multiperiod site was lead by Þóra Pétursdóttir (FSI) and Dr. Thomas H. McGovern (CUNY Hunter College). Excavators, all from CUNY PhD program in Archaeology include, Seth Brewington, Frank Feeley, Megan Hicks, Aaron Kendall, and Amanda Schreiner. Óskar Gisli Sveinbjarnarson of FSI contributed expertise in GIS and mapped the 2010 trenches and Lilja Björk Pálsdóttir (FSÍ) assisted with post excavation work.




Figure 1 The location of Skútustaðir and other lake Mývatn archaeological sites (map by Oscar Aldred).

Excavations in Area E3

Area E3 formed an "L" shape around the southwestern corner of the modern building. The area was truncated to the east by two areas excavated in 2008 (E1 and 2) as well as the home itself. The trench edges and corners do not align with the site grid created in 2008. Instead, Óskar Gísli Sveinbjarnarson established absolute points using a *trimble* and *ARGIS* software.



Figure 2. The opening day for the 2010 excavations included unturfing a large area (E3) around the contemporary home. Intact midden layers and improved homefield soils compose the ground surface and subsurface, except from the small builders-thench cut around the home at approximately one to two meters out from the modern structure's edges.

After unturfing in area E3, we were able to work back from a clear profile of midden deposits, soil amendment deposits and tephra layers that were previously exposed by the excavation of areas E1 and E2 in 2008. Very intact, flat surfaces of the V1717 tephra and the V1477 tephra were easily encountered beneath relatively homogeneous soil layers containing very scant anthropogenic debris.

Such deposits including thinly dispersed domestic waste may likely relate to those described as soil amendments, i.e. varying types of waste added to soil to improve its fertility (Adderly *et al* 2008). The deposits may be the result of past inhabitants lightly distributing refuse around the home field to fertilize and increase hay production. It is highly significant that the build-up of home field soil at Skútustaðir sharply contrasts the farming landscapes to the south that surround the archaeological farms of Sveigakot and Hrísheimar -which lost soil and productive land to the extent that this may have contributed to their abandonments.



Figure 3. The V1477 tephra is removed on to a medium brown soil amendment deposit. The ground surface is uniform and soil- rich at this juncture, but a portion of the uneven bedrock, encountered later in the excavation, is just barely visible in the profile.

When the V1477 tephra was excavated, the team noted a cracked ground surface. The tephra ran into deep fissures and lines converging in polygon shapes resembling frost polygons. The cracking ran through several stratigraphic units, creating uneven surfaces and was visible in the profiles. In other places, stratigraphy was visibly interrupted by a shift in vertical position of the ground surface. This frost cracking and vertical disturbance was noted in Area E3, though not in Area H.

Excavation down to the 1300 tephra began to reveal a more uneven landscape, with lava bedrock crags appearing in slopes and ridges. Deposits including midden, turf, and gravel were found to have also been spread in E3. It's possible that residents intentionally spread these materials as general soil amendments or potentially over the tephra.

After the excavation of the deposits below the H1300 tephra, a ridge of lava bedrock emerged which divided the deposits in Area E3. To north side of the bedrock ridge within the trench, deposits lay in a basin created by the bedrock and to the south, deposits lay flat on a more evenly sloped and higher plane of loose bedrock gravel, without the deep bedrock ravines below that we would later find.



Figure 4. REU Kimberly Kearns (Brooklyn College) and George Hambrecht (CUNY Ph.D. program) begin to excavate the baulk at the eastern end of area E3. The baulk extends to a truncation by a late 20th century builder's trench dug for utilities and delimits the eastern extent of area E3.

We encountered southward sloping deposits in the northern side of Area E3 that, when removed, were overlying the remains of the edge of a turf and stone wall. Several stones, approximately 20-30 centimeters in length, were aligned in an east-west direction with turves apparently packed around them. The entire feature lay under the 1262 tephra and the turves contained both the landnám tephra and the V940 tephra placing the wall's construction at post 940 CE and predating 1262 CE. As more deposits were removed, we found the crevices in the lava surface were deep, and the remains of the wall ran along a ridge of lava bordering a steep drop into the crevice.



Figure 5. A small portion of the remains of a wall are uncovered on the north side of Area E3. This photograph was taken on July 14th 2010.




Figure 6. The above images show the NE corner of trench E3. The stone and turf wall is becoming visible as is the ravine in the lava bedrock which spread over this area in 300 BC, before it was settled. Aaron Kendall (CUNY PhD program) works in the ravine that is depicted below after being excavated down to the natural ground surface.

			SKI	J '10 - Area			
				100			
			· · · ·				
				204			
	_	_		200			/
				205			
				12	1717 teph	ira	
				206			
				14	1477 teph	ira	
				211			
_				215			
		225	=	16	1410 teph	ira	
			_				
			217		216		
_	_						
_	_			222			
				223			
				223			
				226			
			_	220			
				228	1300 teph		
				220	1300 (6)	ii a	-
				230			
				230	_		
			232	1262 tephr	a		
				1202 tepm			
	241			233			237
	2 11			235			237
	238			242			
	1						
				247	=	240	
245		243				240	
2-5		245		248	w.950 tep	hra	
255	-						
				250			
Natural		Natural	_	LNS/NAT			-

Figure 7. Matrix for area E3.





Description	Ξype	Area	Context number
lios nwor8	р	E3	500
grey coarse tephra ??	р	E3	504
medium brown cultural deposit, very low conc.	р	E3	505
medium brown cultural deposit, very low conc.	р	E3	506
brown unform deposit (soil amendment??)(Frost crack)	р	E3	211
dark brown deposit	р	E3	515
It brown deposit with small amount of midden material	р	E3	216
medium brown midden deposit, much bone and art. Below 1477 above	р	E3	217
amul das diver deposit with ash lumps	р	E3	522
a t3 along t2 along depression in N aide of E3 along E1 p	р	E3	523
sindət 0141	р	E3	525
Medium brown midden below 1410	р	E3	526
Medium-light brown soil below 226	р	E3	227
1300 tephra	р	E3	528
Mottled tan deposit with pebbles below 1300	р	E3	530
1262 tephra surtace, black, thin	р	E3	532
Gravel and midden fill between 1212 and 1158	р	E3	533
Tephra: H 1158	р	E3	536
Turf deposit	р	E3	536
Turf collapse=[233]> (fallen out as one)	р	E3	237
Gravel and turt debris	р	E3	538
Nottled brown with gravel below 1262 and above LUS	р	E3	540
Brown silt below 1262	р	E3	541
Orange midden between turf wall and rock formation	р	E3	545
Turt debris with charcoal lenses and gravel	р	E3	543
Mixed soil with tephra (landnam) in gravel substrate	р	E3	546
Mixed midden in crevice	р	E3	247
Turt deposit in lava crevice	p	E3	548
Ash and charcoal deposit on top of natural = context	р	E2	549
Silty midden with windblown tephra	р	E3	520
Turt and rock wall in North of trench	b	E3	522



Excavations in area H

Turf, in-fill and protective *teram* fabric were removed off of Area H on the first excavation day, to reveal the archaeological levels left in place in 2009. In 2009, excavation ended at contexts lying just below the 1717 tephra. The 2010 excavation unit differed slightly in extent: the trench's northern and southern boundary were consistent with the previous years (being four meters apart, however the western boundary was a baulk of turves placed to protect H from the backfill of the contiguous area G. This baulk was approximately 64 cm wide so it should be noted that the western side of trench H no longer corresponds with an even meter on the site, grid, but that distance off of it. The eastern end of the trench was extended by one meter to compensate for the loss on one meter on the western end, making the total length of the excavated area 8 m and 36 cm. This eastern end was reduced to come into phase with the main body of the trench and the context relations were as follows.

Figure 8. Matrix for area H 2010 and corresponding contexts from 2009.






Figure 9. Area H, Context [229] contained a 1610-1640's "WS" pipe bowl to aid in dating stratigraphic units between the V1717 tephra and the V1477 tephra). The deposits are very deep, and consist of dense midden until they neared the V1477 tephra. Comparisions of the pipe's stamp with the Museum of London's information archive indicated that the maker was possibly William Sterridge. This date and identification should be re-confirmed by a specialist.




Figure 10. A knife handle and a carved figurine from area H.

The early 17th c. tephra (thought to have brought the trench into phase at the end of 2009 was found to not be a continuous deposit, rather significant deposits were removed toward the western edge of the trench before it was in phase with the eastern edge.

Several deposits excavated in Area H, were extremely soft and friable wood ash with plentiful midden material, interspersed with orange turf lenses. The turf lenses were not excavated as separate lenses, but the observations in the field lead us to ask whether turf was laid on this loose midden material to prevent its dispersal by wind and weather. Visible in the section is a large area of such deposits lengthwise in the middle of Area H.

There was a notable decrease in clay pipe fragments as the excavation progressed toward the very distinct V1477 tephra. The density of ash and midden also decreased sharply approaching the depths at which the 1V477 tephra was uncovered. On the second to last day of excavation, the crew removed the V1477 tephra. In the previous year of excavation, we found there to be few bones or artifacts below the 1477 tephra until we encountered Viking age material. This low density of midden corresponding with what are probably high medieval period contexts is seen both in Area H and Area E3 and was noted in Area G (G was excavated in 2009). People living at Skútustaðir may have shifted their dwelling area during medieval period; at the very least, they certainly changed their area regularly used for habitual refuse disposal.

Excavation will continue in Area H in the summer of 2011. We hope to reach the bedrock surface and recover high medieval and Viking age material.



Figure 11. REU students remove the 1477 tephra by trowel- the last effort this season in Area H. In this photograph one can see the slight greenish contrast of the 1477 tephra agains the even, medium reddish brown deposits below, as well as the remarkable thickness of the 1477 tephra in this location.




Figure 12. The 1477 tephra was cleaned on to a surface that appears to have been stepped on the eastern end, possibly by past turf cutting. Bedrock is emerging but deposits are deep in other areas of the area H. The V1477 tephra was the last context to be excavated in 2010 in Area H.



Figure 13. The final view of the southern (north facing) profile in Area H clearly shows the friable grey ash, bone and turf (in a wedge that thickens to the west) that composed much of the material removed in 2010. Below the ashy deposits were more silty deposits containing fewer bones and artifacts, following a similar pattern to findings in 2009: late medieval deposits contained more silt and less bone and were less artifact- rich than the early modern deposits.





Description	ЭqүТ	691A	Sontext number
Brown soil	р	Н	500
Sand and pebble deposit under topsoil	р	Н	207
stisoq9b As6 bn6 TTTL Brdept	р	Н	502
leosit with charcoal muibem	р	Н	503
grey brown midden deposit	р	Н	202
grey midden deposit	р	H	508
Brown grey mottled midden deposit	р	Н	506
lt grey brown midden deposit	р	Н	510
pink to It brown burnt peat ash deposit	р	Н	515
tephra (early 16th c ?؟). End point of 2009 excavation in H	р	н	513
tisoqəb nəbbim bəznəl	р	Н	514
Possible early 17th c tephra, cleaned off	р	н	518
medium brown bone rich midden deposit	р	н	519
greyish brown wood ash deposit	р	н	520
Brown grey mottled midden deposit	р	н	221
dark grey brown fine mottled midden	р	н	524
Grey brown midden deposit with turf lenses	р	н	576
Mid-grey finely mottled miden deposit	р	н	537
Brown (mid) mottled midden deposit	р	н	534
Uniform brown deposit	р	н	536
Charcoal rich midden deposit	р	Н	244
nəy6l nəbbim yaza	р	н	546
Tephra, unidentified tephra above 1477 (early 16th c.)	p	Н	727
Grey midden dump	p	Н	752
Light brown windblown soil	p	Н	523
נאראד לפאורם Dark midden above באראד לפאורם	р р	H H	526 524



References

Edwald, Ágústa et al. 2009 Excavations at Skútustaðir 2008, FSÍ field Report

Adderly, W. Paul, Ian A. Simpson and Orri Vésteinsson. 2008. Local-Scale Adaptations: A Modeled Assessment of Soil, Landscape, Microclimatic, and Management Factors in Norse Home-Field Productivities. www.nabohome.org









Faunal Analysis of Skútustaðir: a report on ongoing fieldwork and laboratory analysis

Megan T. Hicks Ph.D. Program in Archaeology City University of New York <u>meganhicks@yahoo.com</u> 3/30/11

Summary

Intensive archaeological study of the Mývatn area of northern Iceland has been an ongoing focus of international, collaborative teams for two decades (McGovern et al 2007, Vésteinsson ed. 2008). Skútustaðir, a long term farming site in the same region, occupies a unique niche within these works as it has so far yielded the most continuous archaeological record of farming, subsistence, diet and economy, when compared to the faunal record from several other sites. A combination of dense and well-preserved midden deposits and the presence of several volcanic tephra isochrones make this site ideal for extensive study (McGovern in Vésteinsson ed. 2008). Analysis of the Skútustaðir faunal collection is currently being carried out by the present author at the City University of New York, Hunter College and Brooklyn College NORSEC Zooarchaeological Laboratories. The preliminary results are summarized here. Skútustaðir's archaeofauna points to a focus on caprines (sheep and goats) but also indicates long- term cattle raising at possibly a higher degree than surrounding farms. Marine fish are present, potentially increasing during the early modern era (1550-1850) CE). Also present in the archaeofauna are horses, pigs, seals in low numbers and several species of birds. Analysis is ongoing. For detailed reports, please refer to the NABO website: www.nabohome.org

The Research Team

Dr. Thomas H. McGovern (CUNY) and Þóra Pétursdóttir of Fornleifastofnun Íslands (FSÍ) led our team which included students from the CUNY Ph.D. program: Seth Brewington, Francis Feeley, George Hambrecht, Megan T. Hicks, Aaron Kendall and Amanda Schreiner. The 2010 field efforts were greatly enhanced by the REU (Research Experience for Undergraduates) program under the direction of Dr. Sophia Perdikaris of (CUNY) Brooklyn College. Reaksha Persaud, and Jessica Vobornik, (both undergraduates from Brooklyn College) joined us as senior members of the REU program. New REU students included Ayo Oti, Kimberly Kearns, Derya Gunayaden, Joanna Tchurchenthaller, Ingrid Feeney, Finessa Javier and Jade de la Paz. We worked alongside archaeological teams pursuing related projects nearby from FSÍ who generously lent their assistance in the first days of excavation. Óskar Gísli Sveinbjarnasson (FSÍ) aided us in the establishment of fixed GPS points to delineate our trenches with the help of David Stott. Magnús Sigurgeirsson lent his expertise in identifying volcanic tephras *in situ*.

Acknowledgements

Many thanks to the scholars who have built the foundations for this research and are cited within this paper. Thanks also to local friends and collaborators: Unnsteinn Ingasson and his entire family, Árni Einarsson, the Director of the Mývatn Research Station, collaborators from KAPI (Kids Archaeological Project, Iceland) and the current residents of Skútustaðir, especially Gerður Benediktsdóttir, for ongoing collaboration, assistance, and for welcoming our team in to the area. Many of us regard Þingeyjarsýsla and the Mývatn region as a second home because of the generosity of these friends of our project. Funding support from the U.S. National Science Foundation Office of Polar Programs Arctic Social Science Program through International Polar Year grant 0732327 is gratefully acknowledged. This report is a product of the International Polar Year program and of the NABO research cooperative.

Introduction

Investigations at Skútustaðir emerged out of a regional-scale research design called *Landscapes of Settlement* that was initiated by Orri Vésteinsson and Adolf Friðriksson. The collective work aimed to describe through archaeology, past regional settlement patterns, economic developments, social histories, and environmental histories of Mývatnssveit. Thus far, the majority of the archaeofaunal collections excavated in the Mývatn area dated to the Viking period and the subsequent medieval period, but none had been recovered from the early modern period. Seeking a broader chronology, Orri

Vésteinsson led an Mývatn regional survey which was carried out by CUNY archaeologists. This research was conducted under the project entitled *Human and Social Dynamics in Myvatnssveit, Iceland, from the Settlement to the Present*, directed by Astrid Ogilvie. Efforts were focused on locating a site with an archaeofauna that included late medieval and post medieval remains (ca. 1300-1900). Following a very promising 2007 coring survey at Skútustaðir (McGovern in Vésteinsson *ed.* 2008), four test trenches were excavated in 2008: Area E 1& 2, Area D, and Area F. A full report is available as Edwald and McGovern 2008. The 2009 field season included additional trench Areas G and H and the results are described in Edwald 2009 and Hicks 2010.

Field Season 2010: Recovery of Faunal Remains in Area H

Excavations continued in Area H from the 2009 field season. During the 2009 season, the upper strata of Area H were found to be rich in well-preserved midden remains pertaining to the early modern period (1550-1850 CE). In 2009, excavation was carried out only through early modern strata so the 2010 field team aimed to excavate Area H as far as possible.

In 2010, Area H was extended down slope to the east by one meter. It measured 4m in width by 8 m and 36 cm in length. We were able to recover bone and artifacts from rich contexts both above and below the V1717 tephra. The chart below details that faunal finds were especially rich in the early modern context [246] and there was good recovery throughout the site phase defined between the V1717 and the V1477 tephras. It should be noted that as a result of significant volumes gravel being recovered along with the faunal remains context [246], the documented number of bags is inflated to some degree. Gravel was recovered along with the bones to maintain time-efficient ant total recovery of sieved material, as context [246] was a mixture of small mammal bone fragments, small fish bones and small (1 cm) gravel.




Figure 2. The chronological grouping of the recovered bones is based on identification of volcanic tephras V1717 and V1477 *in situ* kindly provided by Magnús Sigurgeirsson. This chart depicts 142 bags of bone recovered from area H. Additionally, three bags of unstratified bone were recovered, which normally includes a very small amount of bone from a profile cleaning or surface find, hand collected and does not actually indicate a full bag.

Excavations in 2010 ended with the removal of the V1477 tephra on to a deposit

that appears to have been truncated by past turf cutting. We expect that the proposed

2011 field season will allow us to carry excavation in Area H down to the lava bedrock

and to reach a particularly important deposit that was present in the contiguous Area G.

This deposit was an anthropogenic, bone, rich in-filling of a crevice in the lava bedrock

surface that closely related to the V940 tephra (context [161]). The complete excavation

of Area H is crucial for the recovery of well-preserved faunal remains from several phases.

Area E3 was laid out and excavated in 2010 after Viking age and medieval

Field Season 2010: Recovery of Faunal Remains in Area E3

midden remains were uncovered in closely located units (E1 and E2) during the 2008 field season. It measured 9 meters on the western side, 11 meters on the southern side and 4 meters on the northern side. The remaining trench edge was a curving open profile from excavation season 2008, arching around the home of Gerður Benediktsdóttir. In area E3 we hoped to expand our faunal collection from the medieval occupation phase of Skútustaðir. While recovery was excellent from some contexts in E3, others were mostly devoid of the rich archaeological deposits encountered elsewhere within the site. The majority of layers in E3 were composed of silty soils with occasional charcoal and bone and low densities of artifacts. Instead of looking like the characteristic rich middens, commonly preserved in Iceland, these deposits resembled soil amendments, soils enriched by the addition of domestic waste, manure and other materials, as described by Ian Simpson in his work on infield soil characteristics on farms in the north Atlantic (Simpson et al. 2002). Another possibility is that the deposits with thinly dispersed ash and bone could be the edges of thicker midden deposits, thinning as they spread outward from a concentrated area.

28




Figure 3. The bags of bone are phased chronologically using volcanic tephras identified in the field by Magnús Sigurgeirsson. Two contexts, each yielding one bag of bone, were not included in this tally. Unstratified bone (3 bags) was also left out.

Aspects of excavation in Area E3 are reviewed in detail in the main body of the 2011 field report, however, there are some important additional notes regarding recovery of faunal remains. The majority of osseous finds were recovered from contexts between the H1300 and V1410 tephras, while from most other contexts, one bag of bone on average was recovered. Faunal analysis benefits increasingly with greater sample sizes, so the excavation of Area E3 will certainly benefit our understanding of farming, diet, and economy in the high medieval to the late medieval phase. It is worth re-iterating here that Area E3 demonstrated and reconfirmed that Skútustaðir's archaeological sequence is run through with a comparatively high number of tephra, providing very secure and sometimes high-resolution dating.

The depositional patterns of the faunal remains at Skútustaðir clearly changed through time. Based on changing density of midden material, some areas are used intensively for periods and then fall out of use. This likely compliments changes over time in settlement organization, the placement of domestic spaces, work-spaces, animal enclosures, infields, and storage areas. The decisions regarding where to dispose of disused items relates to and shadows other aspects of use of space, and in this way hints to the variety of processes that make up the archaeological site. As Skútustaðir is a large site whose remains are segmented by numerous tephras, it seems it would be worthwhile to carry investigation into other realms of past uses, such as those of domestic spaces or sacred and burial places. As these phenomena are often interrelated in complex ways to the economic activity observable the midden remains.

Ongoing Laboratory Analysis

The most complete report resulting from the ongoing faunal analysis (Hicks 2010) is available on the NABO website nabohome.org, and the results are summarized here.

Laboratory Methods


Analysis completed so far was carried out at the Hunter College Zooarchaeological Laboratory and made use of the extensive reference collections there. Analysis of the fish bones recovered in 2008, 2009, and 2010 will be carried out at the Brooklyn College and the Hunter College Zoorchaeological Laboratories. All elements (bird and mammal) were identified as far as taxonomically possible (a selected element approach was not employed) but most mammal ribs, long bone shaft fragments and vertebral fragments were assigned to "Large Terrestrial Mammal" (cattle or horse sized), "Medium Terrestrial Mammal" (sheep, goat, pig or large dog sized), and "Small Terrestrial Mammal" (small dog-fox sized). Only elements positively identified as *Ovis aries* and *Capra hircus* were assigned to the separate sheep and goat categories respectively while all other sheep/goat element were assigned to the "caprine" category potentially including both sheep and goats.

Digital records of all data collected were made following the 9th edition of the NABONE recording package (a Microsoft Access database supplemented with specialized Microsoft Excel spreadsheets). The animal bones excavated will be permanently curated at the National Museum of Iceland. This report, other reports and data are available from nabo@voicenet.com and the NABO website: www.nabohome.org.

Curation followed the NABONE protocols followed for other archaeofauna from Iceland, Faroes, Greenland, and northern Norway. Following widespread North Atlantic tradition, bone fragment quantification makes use of the Number of Identified Specimens (NISP) method (outlined in Grayson 1984).

Species Present

	unstratified	9th c	10th c [161	1262-1300	14th c	pre 1477	1477-1717	post 1717	Total
Cow (Bos taurus)	8		198	110	13		112	84	52
Horse (Equus caballus)			1	1			1		
Dog (Canis familiaris)								1	:
Pig (Sus scrofa)	1		11					1	1
Sheep (Ovis aries)	5	2	57	13	4		78	49	20
Goat (Capra hircus)			9					1	10
Ovis/Capra sp.	22	5	594	159	19		467	380	1646
Total Domestic Mammals	36	7	870	283	36		658	516	2406
SEALS									
Harp seal (Pag. Groenlandicus)								2	1
Phocid spp. (unident. seals)				1			34	18	53
CETACEA (small whales/porpoise)				1					
OTHER MAMMALS									
Arctic fox (Alopex lagopus)		1		2				1	
Mouse (Mus musculus)							2		
BIRDS	3	9	6	35	11		62	49	17
MOLLUSCA				3	1		14	2	20
TOTALNISP(No. of Ident Specimen:	39	17	876	325	48	-	770	588	2663
MM (Marine mammal)							1	3	
STM (Small terrestrial mammal)									
MTM (Med. terr. mammal)	9	49	766	322	43		981	517	2683
LTM (Large terr. mammal)	2	25	195	64	14		120	102	52
UNIM (Unidentified mammal)	3	299	2384	905	184	7	2928	2277	898
Total Number of Fragments	53	390	4221	1616	289	7	4800	3487	1486
Fish (Preliminary count)	б	175	127	321	272	2	4065	1131	609
Total Number of Fragments	59	565	4348	1937	561		8865	4618	2096



Discussion

Among domestic mammal bones analyzed from Skútustaðir, caprines (sheep and goats) are the most common. This follows a general pattern for the lake Mývatn area where during the time of settlement (871 - 950 CE) there may have been some livestock diversity, but by the medieval period, the most common animals were caprines, followed by cattle (Brewington *et al* 2004). Caprines were kept for wool, meat and dairy products.

Skútustaðir seems to have a high relative number of cattle (*Bos taurus domesticus*) compared to other Mývatn region farms studied archaeologically. Where some Mývatn area farms had 22 sheep (*Ovis aries*) for every cow, Skútustaðir seems to stay well below ten sheep for every cow, throughout its record (Brewington *et al* 2004, Hicks 2010).

The high ratio of cattle apparently kept at Skútustaðir joins the archaeology with ongoing discussions regarding environmental change, past land use, value, and social change in Iceland. This dialogue is best illustrated in McGovern *et al.* 2007, Vésteinsson 2008 and Vésteinsson 2000. To summarize some key points, the productivity and value of land in Iceland was linked to its infield hay production capacities and cattle holdings. Cattle depended on hay cultivation to a high degree. Cattle rearing became linked to productive, wealthy elite farms and thus a marker of status. As Skútustaðir appears to be a long-term elite farm, the ongoing description and study of its economy will lend important new information to studies of the changing socio-environmental conditions of Iceland over a long period of time. This ongoing conversation highlights the cross-disciplinary nature of the study of Iceland's environmental and social past. It will be worthwhile to apply the archaeofauna from Skútustaðir to carry this discussion through the early modern period as it is a central issue in landscape change in the Mývatn area (McGovern *et al* 2007, Dugmore *et al* 2005).

Horses (*Equus caballus*) and pigs (*Sus scrofa*) are relatively scarce in the faunal collection when compared to caprines and cattle. It has been suggested that horses were not typically eaten in Iceland (especially after ca 1000 CE) because of Christian prohibitions on eating horseflesh. However evidence through space and time in the archaeological record of Iceland suggests that these prohibitions were irregularly heeded.

Fish species have not yet been analyzed though analysis will commence after the 2011 field season. It was noted both in the field and can be seen in the above chart, that use of fish species appears to increase. More work needs to be done here to securely assert such a pattern and it is currently a preliminary suggestion. Species visible in preliminary observations in the field include members of the cod family (*Gadidae*) as well as Salmon (*Salmo salar*), Trout (*Salmo trutta*) and Char (*Salvelinus alpinus*).

Scant bird bones demonstrate a low relative frequency of birds being consumed compared to other animals. Bird species found throughout the site include mallards (*Anas*

33

platyrhynchos), red breasted merganser (*Mergus serrator*), scaup (*Aythya marilla*), swans (*Cygnus sp.*), swan/goose sized specimens, slavonian grebe (*Auritus podiceps*), long-tailed ducks (*Clangula hyemalis*) and one specimen of gull (*Larus sp*). Another present avian species was ptarmigan (*Lagopus mutus*), a local terrestrial bird. One sea eagle claw (*Haliatus albicilla*) was found in an unstratified context. In addition, domestic chicken (*Gallus gallus*) was represented among avian fauna.

Most notably, the team repeatedly unearthed compact, thin, but horizontally dense layers of eggshell *in situ* during all excavation seasons. A research design is still being formulated to obtain information (such as species identification) from these remains, but they are well documented and sampled. The eggshell most likely belongs to eider ducks (*Somateria molissima*) that congregate in a small chain of lakes about two hundred meters to the east of the main cluster of modern homes at Skútustaðir. Egg collection has been a long-term practice of Icelanders and there is documentary and archaeological evidence that it has been strictly managed for sustainability over the long term (McGovern *et al* 2007).

Seal remains (*Phocidae*) are present but rare; it is significant to note that the nearest stretch of seacoast is 60 km distant. Seal bones so far appear to predominantly be distributed amongst early modern contexts. Though it is early in analysis- a preliminary pattern may at least be suggested for further inquiry; that seal remains and marine fish remains (both from the coast) increase into the early modern period (1550-1850 CE).

Remains of Arctic fox (*Alopex lagopus*) and mouse (*Mus musculus*) were not included in the bar chart above, as they are not necessarily indicative of economic patterns at the farm in the same manner as the other species/taxa listed; that is, they are not likely food items. Very few fragments of each were present among material analyzed so far.

Molluscan remains from the coast are also present but uncommon. Other scholars have suggested that they were incidentally introduced inland, traveling on seaweed used for salt production or to pad cargo from the coast.

For an in-depth discussion of taphonomy, age at death patterns, and metrical analysis of the collection analyzed so far, see Hicks 2010 available on the NABO website (www.nabohome.org).

Future Objectives: Field and Laboratory

The most singular aspect of Skútustaðir's archaeological record is its chronological distribution: artifacts and faunal remains recovered so far have spanned from the Viking age through the early modern period. This will allow for a thorough analysis of how people farmed, fed themselves and interacted economically over the long term.

It would be beneficial to include the following objectives within the research design for the 2011 field season:

- to complete recovery of archaeological material in Area H and carry excavation down to the natural ground surface.
- to locate an additional area where high medieval midden deposits may be present either for excavation in a future season or for a test pit in the 2011 season.

Goals for laboratory work include the analysis of fish skeletal remains from Skútustaðir for a more complete picture of the use of non- terrestrial resources through time. Special focus for laboratory work in 2011 will be placed on material from the medieval period and it is hoped that faunal material from the 2010 fieldwork in Area E3 will fill current gaps in our knowledge of past activity at this site by enlarging our current data sets.

References

Brewington, Seth. Ramona Harrison, Colin Amundsen and Thomas H. McGovern. 2004. An Early 13th Century Archaeofauna from Steinbogi, Mývatn District, Northern Iceland. Norsec Report No. 13.

Dugmore, A.J., Buckland, P.C., Church, M.J., Edwards, K., Lawson, I., MgGovern, T.H. Panagiotakapulu, E. Simpson I.A. Skidmore, P., and Sveinbjarnardottir, G. 2005. The Norse Landnamon the North Atlantic Islands: an environmental impact assessment. Polar Record 41, 216, 21-37.

Edwald, Ágústa & Tom McGovern (2008) *Skútustaðir Midden Investigations Mývatn Northern Iceland 2008: an Initial Field Report*; NABO IPY field report available for download at <u>www.nabohome.org</u> 23

Edwald, Ágústa et al. 2009 Excavations at Skútustaðir 2008, FSÍ field Report.

Grayson, D. K. 1984. Quantitative Zooarchaeology. Academic press, Orlando

Hicks, Megan T. 2010. Skútustaðir: An Interim Zooarchaeological Report following the

2009 Field Season. NORSEC Report No. 48

Hicks, Megan T. & Ramona Harrison. 2009. A Preliminary Report of the 2008 Midden Excavation at Skútustaðir, N Iceland NORSEC Report No. 45, see also http://www.nabohome.org/publications/fieldreports/SKUpreliminaryNORSEC09.pdf

Karlsson, Gunnar. 2003. Iceland's 1000 Years: The History of a Marginal Society. Hurst and Co. Publishers. London.

McGovern, Thomas H., Orri Vésteinsson, Adolf Fridricksson, Mike Church, Ian Lawson, Ian A. Simpson, Arni Einarsson, Andy Dugmore, Gordon Cook, Sophia Perdikaris, Kevin J. Edwards, Amanda M. Thompson, W. Paul Adderly, Anthony Newton, Gavin Lucas, Ragnar Edvardsson, Oscar Aldred, and Elaine Dunbar. 2007. Landscapes of Settlement in Northern Iceland: 24

Ian A. Simpson, W. Paul Adderley, Garðar Guðmundsson, Margrét Hallsdóttir, Magnús Á. Sigurgeirsson and Mjöll Snæsdóttir. 2002. Soil Limitations to Agrarian Land Production in Premodern Iceland. Human Ecology. Volume 30, Number 4, 423-443

Vésteinsson, Orri. 2008. Archaeological Investigations in Mývatnsveit 2007. Fornleifastofnun Islands. FS386-02263. Reykjavik

Skútustaðir 2010: Interim finds report Guðrún Alda Gísladóttir

In 2010 the midden at Skútustaðir continued to provide substantial amount of finds, 340 finds number registered in the excavation database. The excavation took place within two areas; in new area E3 and continued in trench H, though extended from previous year. Several tephra deposits have been detected in Skútustaðir, though it varies between areas. The time frame given by the tephra layers will add greatly to our knowledge and help our interpretation and understanding of the data, not the least the medieval data as the research evolves.

The preservation is low/fair to excellent; iron is corroded but copper alloys in good condition as are organic materials as bones and textiles. Leather is absent and wood and textiles few.

E3

Roughly 1/3 of the total material is from this area. By far most of the finds are from medieval period. Fourteen finds numbers are registered below the 1226 tephra, 73 are registered within the time period 1300-1410. Only two find are between 1477 and 1717 and eight above 1717 tephra.

Only few fragments of glass and ceramics were found in top soil deposit 200, along with imported coal. Rest of the materials are divided between bone, copper alloys, lead, iron and stone - iron and stone being the largest group. Below the 1226 tephra are mainly Manuports but also pre-formed bone pin, iron objects (i.e. nails) and a hook. The medieval assemblage from the 1300-1410 period includes most of the finds. The categories are diverse, i.e. knife with bone handle, bone bead, copper-alloy button, nails and fittings.

Η

The excavation from this area returned 240 registered finds numbers. The material is more diverse than in area E3. Most of the finds are found in deposits between the two tephras from 1477 and 1717.

Most of the datable material is 17th and 18th century ceramics and glass (vessels, clay pipes, bottles and window glass). Interestingly large pieces of copper-alloy cooking vessels are present but those were common from the medieval period until the late 17th century when import of iron cooking vessels started.² Knives, nails, fish hooks, bone handle, metal chain, cubical bone dice, worn whetstones, stone mould, buttons, carved figurines and beads are amongst the assemblage.

Summary

As the Skútustaðir research evolves it becomes clearer that the site is producing very rich artefact assemblage that stretches from late 9th century to ca. 1900. The material is well sequenced and good amount is of late medieval date which has not received the same attention as the Viking age period and early modern/modern periods in Iceland. The assemblage reflects voluminous and long residence and the material culture will add greatly to our understanding of the function and household of a high status farm in North-Iceland. Through 1000 years of usage the midden might not only provide information on i.e. the relevance of imported materials, exploitation of local resources, changes in material culture through time, reuse and recycling and handicraft. It might also add insight to the activity (i.e. household, workshops, smithies) around the midden and (changing) roles of nearby houses suggested by absence/presence of specific waste through time.

Reference

Hallgerður Gísladóttir. 1994. 'Rauðamelskatlarnir'. *Gersemar og þarfaþing. Úr 130 ára sögu Þjóðminjasafns Íslands*. Árni Björnsson (ed.). Reykjavík, Þjóðminjasafn Íslands og Hið íslenska bókmenntafélag, 204-205.

² Hallgerður Gísladóttir. 1994. 'Rauðamelskatlarnir', 204.

Appendices

Context register

Context number	Area	Туре	Description
200	E3	d	Brown soil
201	Н	d	Sand and pebble deposit under topsoil
202	Н	d	tephra 1717 and ash deposits
203	Н	d	medium brown deposit with charcoal
204	E3	d	grey coarse tephra ??
205	E3	d	medium brown cultural deposit, very low conc.
206	E3	d	medium brown cultural deposit, very low conc.
207	Н	d	grey brown midden deposit
208	Н	d	grey midden deposit
209	Н	d	Brown grey mottled midden deposit
210	Н	d	It grey brown midden deposit
211	E3	d	brown unform deposit (soil amendment??)(Frost crack)
212	Н	d	pink to It brown burnt peat ash deposit
213	Н	d	tephra (early 16th c ??). End point of 2009 excavation in H
213	н	d	lensed midden deposit
215	E3	d	dark brown deposit
215	E3	d	It brown deposit with small amount of midden material
210	E3	d	medium brown midden deposit, much bone and art. Below 1477 above 1410
218	H	d	Possible early 17th c tephra, cleaned off
218	Н	d	medium brown bone rich midden deposit
	Н	d d	greyish brown wood ash deposit
220			
221	H	d	Brown grey mottled midden deposit
222	E3	d	med brown midden deposit with ash lumps
223	E3	d	dark brown midden deposit filling depression in N side of E3 along E1 profile, many bon
224	Н	d	dark grey brown fine mottled midden
225	E3	d	1410 tephra
226	E3	d	Medium brown midden below 1410
227	E3	d	Medium-light brown soil below 226
228	E3	d	1300 tephra
229	Н	d	Grey brown midden deposit with turf lenses
230	E3	d	Mottled tan deposit with pebbles below 1300
231	Н	d	Mid-grey finely mottled miden deposit
232	E3	d	1262 tephra surface, black, thin
233	E3	d	Gravel and midden fill between 1212 and 1158
234	Н	d	Brown (mid) mottled midden deposit
235	E3	d	Tephra: H 1158
236	E3	d	Turf deposit
237	E3	d	Turf collapse=[233]> (fallen out as one)
238	E3	d	Gravel and turf debris
239	H	d	Uniform brown deposit
235	E3	d	Mottled brown with gravel below 1262 and above LNS
241	E3	d	Brown silt below 1262
242	E3	d	Orange midden between turf wall and rock formation
243	E3	d	Turf debris with charcoal lenses and gravel
243	H	d	Charcoal rich midden deposit
244	E3	d	Mixed soil with tephra (landnam) in gravel substrate
		d	Ashy midden layer
246	H		
247	E3	b	Mixed midden in crevice
248	E3	d	Turf deposit in lava crevice
249	E2	d	Ash and charcoal deposit on top of natural = context
250	E3	d	Silty midden with windblown tephra
251	Н	d	Tephra, unidentified tephra above 1477 (early 16th c.)
252	Н	d	Grey midden dump
253	Н	d	Light brown windblown soil
254	Н	d	1477 tephra
255	E3	g	Turf and rock wall in North of trench
256	Н	d	Dark midden above 1477 tephra

Finds register

Finds number	Area	Context number	Phase	Туре	Material type
600		cleaning finds	=	pottery fragments	ceramic
601	Н	203		nail	metal
602	Н	203	III	pottery fragments	ceramic
603	Н	203	III	pipe stem	ceramic
604	Н	201		fragments	glass and ceramic
605	Н	201	=	fragments of sheet metal, fish hook, nails	Fe
606		topsoil		fragment whetstone	stone
607	E3	200		buttons	Glass
608	E3	200		fragments	glass and ceramic
609	E3	200		Nails and other objects	Fe
610	E3	200		small fragments	coal
611	Н	207			Fe
612	Н	207			ceramic
613	Н	208			Fe
614	Н	208			Stone?
615	Н	207			stone?
616	Н	207	III	flint	stone
617	E3	206		flint?	stone
618	Н	209			Fe objects
619	Н	203		vessel fragments	glass
620	E3	205		bead?, ceramic pipe stem?	bone?
621	Н	203			Fe
622	H	210		Pipe stem	Kaolin
623	Н	210		Nails	Fe
624	Н	210		Vessel base	Ceramic
625	Н	210		Button	glass?
626	н	212		Pipe stem	Ceramic
627	н	214		Nails	Fe
628	н	214		INGIIS	Ceramic
629	н	214	"	Knife	Fe
630	н	214	"	Kille	Fe
631	E3	214	"	Nails	Fe
632	<u>ЕЗ</u> Н	211	"	?	Fe
633	H		"	ſ	Glass
		214		Heek	
634	H	214		Hook	Fe Glass
635		214		Heek/Lass	
636	H	214		Hook/Loop	Fe
637	Н	214		1	Ceramic?
638	Н	214		Loom	Stone
639	Н	214			Stone
640	Н	214			Ceramic
641	Н	214		Nail	Fe
642	Н	214			Fe
643	Н	214	11	ļ	Glass
644	Н	214	11	Whetstone	Stone
645	Н	214	Ш	Nails	Fe
646	Н	214	Ш		Glass
647	Н	214	I		Ceramic
648	Н	214	=		Fe
649	E3	217		Bone comb frag?	Bone
650	Н	219	I		Cu
651	E3	217	I	Hook?	Fe
652	E3	217		Hook?	Fe

653	E3	217	1	Bead	Bone
654	E3	217	1	Nail?	Fe
655	E3	217	1	?	Fe
656	E3	217	1	Nail	Fe
657	E3	217	1	?	Cu
658	E3	217		?	Fe
659	н	221	I	Pipe stem	Ceramic
660	Н	221	I	Worked object	Bone
661	н	221			Bone
662	Н	221	Ш	Pipe stem	Ceramic
663	Н	221	Ш	?	Fe
664	н	229	11		Ceramic
665	н	229	11		Glass
666	н	221	11	?	Stone
667	Н	221	11	Many	Metal
668	н	221	1	Worked (toggle)	Bone
669	Н	221	I		Glass
670	н	221	I	Thimble	Cu alloy
671	н	221	I	Pipe	Clay
672	н	221		Pipe stem	Clay
673	Н	221		Pipe stem	Clay
674	Н	221	1	Pot sherd	Ceramic
675	Н	221		Pot sherd	Ceramic
676	н	221	1		Bone
677	н	221		Dice	Bone
678	н	221			Bone
679	E3	223		Knife	Bone+Fe
680	E3	223	i i	Sheet fragment	Cu
681	H	221		Indeterminate	Cu
682	H	221		Wire	Cu
683	н	221		Sheet metal loop	Cu
684	н	221		Knife blade	Fe
685	н	221		Unknown	Ceramic
686	E3	222		Nail	Fe
687	Н	221		Unknown	Wood
688	н	221		Clay pipe fragments	Ceramic
689	н	221		Indeterminate Glass fragments	Glass
690	н	221	"	pottery fragments	Ceramic
690	Н	221	"	Manuport	Stone
692	Н	221	II	Composite tool?	Bone+Fe
693	Н	221	"	Nail	Fe
693 694	н	221	"	Unidentified objects	Fe
695	н	221	"	Sheet fragment	Cu
695	н	221	II	Manuports	Stone
			н Н		
697	Н	221		Pipe stem fragments	Clay Ceramic
698	н	221		Unidentified fragments	
699	н	221		Unidentified fragments	Fe
700	н	221		Sheet with rivet	Cu
701	н	221	"	Fragments	Glass
702	Н	221	I	Worked	Bone
703 704	E3	223	1	Nail	Fe
	E3	223		Nail	Fe

704	E3	223		Nail	Fe
705	E3	223	I	Sheet fragment	Cu
706	E3	223	1	Whetstone	Stone
707	E3	223		Unknown fragment	Fe
708	E3	223	1	Whetstone	Stone
709	E3	223		Unknown fragments	Fe
710	E3	223	1 I	Nail with rove	Fe
711	E3	223	I	Unidentified object	Fe
712	E3	223	1	Unidentified object	Cu
713	E3	223	I	Manuport	Stone
714	E3	223	I	Rivet	Cu
715	E3	223	I	Staple	Fe
716	E3	200	III	Nail	Fe
717	E3	200	III	Nail	Fe
718	E3	200	III	Nail	Fe
719	E3	223		Nail	Fe
720	E3	223		Nail	Fe
721	E3	223		Rove?	Fe
722	E3	223		unidentified fragment	Cu
723	E3	223		Sheet with perforation	Cu
724	E3	222		Knife blade	Fe
725	E3	223	1	Handle?	Fe
726	н	221	1	Whetstone	Stone
727	н	221	11	Pipe Stem fragment	Clay
728	н	221	1	Worked	Bone
729	E3	217	1	Manuport	Stone
730	E3	217		Nail	Fe
731	E3	217	1 1	Unidentified fragments	Stone
732	н	221	1	Fragments	Ceramic
733	н	221	1	Pipe Stem fragment	Clay
734	E3	217		Nail	Fe
735	E3	217		Manuport	Stone
736	E3	217	1	Unidentified objects	Fe
737	E3	217		Unidentified objects	Fe
738	E3	217	1	Nail	Fe
739	E3	217		Whetstone	Stone
740	E3	217		Flint fragment	Stone
741	E3	217		Nail	Fe
742	E3	217		Whetstone?	Stone
743	E3	217	1	Unidentified object	Fe
744	E3	217	1 i i	Sheet	Cu
745	E3	217		Nail	Fe
746	H	218	?	Miscellaneous	Ceramic
740	E3	217	· ·	Nail	Fe
748	H	217	?	Nail	E3
740	н	218	?	Rivet	Cu
749	E3	218	? 	Whale bone clamp?	Bone
					Fe
751	E3	217		Nail	
752	E3	217	1	Nail	Fe
753	E3	217	1	Unidentified object	Fe
754	E3	217	1	Unidentified objects	Fe
755	E3	217	1	Unidentified objects	Fe
756	E3	217		Manuport	Stone

757	E3	217	1	Manuport	Stone
758	E3	217	1	Manuport	Stone
759	E3	217	1	Manuport	Stone
760	E3	216	- I	Rivet	Fe
761	E3	216	1	Nail	Fe
762	Н	221	II	Pipe Stem fragment	Clay
763	н	221	П	Shards	Glass
764	н	221	П	Sheet fragments	Cu
765	Н	221	П	pottery fragments	Ceramic
766	н	221	II	Unidentified fragments	Fe
767	н	221	II	Nails	Fe
768	н	221	II	Unidentified fragments	Fe
769	Н	221	II	String fragment	Cloth
770	Н	219	II	Fragments	Ceramic
771	Н	219	II	Fragments	Glass
772	Н	219	П	Nail	Fe
773	Н	219	I	Unidentified fragments	Cu
774	Н	219	I	Unidentified fragments	Fe
775	E3	223	I	Nail	Fe
776	Н	218	?	Fragments	Glass
777	Н	218	?	Bottle top	Glass
778	Н	224	I	Clay pipe stem	Ceramic
779	Н	221	II	Clay pipe bowl	Ceramic
780	E3	226	1	Fragment	Cu
781	Н	231	I	Pipe stem	Clay
782	Н	221	11	Fragment	Glass
783	н	221	II	Fragment	Fe
784	н	229	I	Vessel fragments	Ceramic
785	E3	226	1	Fragment	Obsidian
786	н	229	I	Nail	Fe
787	н	229	11	Unidentified	Fe
788	н	229	I	Unidentified	Fe
789	н	229	11	Nail	Fe
790	н	229	11	Unidentified	Cu
791	н	229	11	Vessel fragments	Ceramic
792	н	229	11	Vessel Rim sherd	Ceramic
793	н	229	1	Vessel Rim sherd	Ceramic
794	н	229	1	Sherds	Glass
795	н	229	1	Whetstone fragments	Stone
796	н	229	11	Clay pipe stem fragments	Ceramic
797	н	229	1	Pipe bowl	Ceramic
798	н	229	11	Pippin?	Ceramic
799	н	229		Pipe stem fragments	Ceramic
800	н	229	1	Whetstone fragment	Stone
801	н	229	1	Shards	Glass
802	н	229	11	Manuport	Stone
803	H	229		Thimble	Cu
804	н	221		Rivet	Cu
805	Н	224	"	Shards	Glass
806	н	224		Clay pipe stem fragments	Ceramic
807	н	224		Nails	Fe
808	н	224		Unidentified fragments	Fe
	н	224		Vessel fragments	Ceramic

810	н	224	1	Bead?	Ceramic
811	Н	224	Ш	unidentified fragment	Fe
812	н	224	П	Pottery sherds	Ceramic
813	н	231	- 11	Nails	Fe
814	н	231	Ш	Fragments	Glass
815	E3	226	I	Fragments	Cu
816	E3	226	I	Button	Cu?
817	E3	226	I	Nail	Fe
818	E3	226	I	Unidentified	Fe
819	E3	226	I	Manuport	Stone
820	E3	226	1	Nail	Fe
821	Н	224	I	Fitting	Cu
822	Н	221	- II -	Nail	Fe
823	н	221	1	Indeterminate	Cu
824	н	221	1	Rivet	Cu
825	Н	221	1	Shards	Glass
826	Н	231		Shards	Glass
827	н	231	1	?	Fe
828	н	231	· II ·	?	Bone
829	Н	231		Pipe stems	Ceramic
830	Н	231	1	Nails	Fe
831	E3	233	I	Hook	Fe
832	Н	231		?	Cu
833	н	231	1		Ceramic
834	Н	231	1	?	Bone
835	н	231	1	Whetstone	Stone
836	н	239	1		Fabric
837	н	239	11	?	Cu
838	н	239	11		Obsidian
839	н	239	11	Hooks	Fe
840	н	239	11		Fe
841	н	239		Nails	Fe
842	н	234		?	Fe
843	н	239		Pin	Cu
844	E3	238	1		Wood
845	E3	238	i		Stone
846	E3	238	1		Stone
847	E3	238	· ·		Fe
848	E3	238			Stone
849	H	234		Pipe stem	Ceramic
850	E3	238	1	Nail	Fe
851	H	234		i tuli	Glass
852	E3	234			Fe
853	H	234			Ceramic
854	н	234			Fe
855	Н	234			Cu
856	н	234	"		Fe
856	+ +	239		coin/mork	Cu
	Н			coin/mark	
858	н	239		?	Cu Silver?
859	н	239		Loop	
860	н	239	11	Chain	Silver?



862	н	221	11	Pipe bowl	Ceramic
863	E3	238	1	Manuport	Stone
864	н	239	II	Fragment	Glass
865	н	239	I	Strip	Cu
866	E3	242	1	Pin	Bone
867	E3	242	1	Manuport	Stone
868	E3	243	1	Manuports	Stone
869	н	244		Knife blade	Fe
870	н	244		Indeterminate	Fe
871	Н	244	11	Indeterminate	Fe
872	н	244	11	Rolled sheet	Cu
873	н	244	11	Manuport	Stone
874	Н	244	Ш	Obsidian	Stone
875	Н	246	I	Strip	Cu
876	Н	246	1	Fitting	Cu
877	н	246	I	Nail	Fe
878	Н	246	I	Nail	Fe
879	Н	246		Coarse fabric fragment	Textile
880	Н	246	11	Indeterminate fragments	Cu
881	н	246	I	Token?	Cu
882	н	246		Manuport	Stone
883	Н	246	11	Handle	Reindeer Antler
884	н	246		Weight	Stone
885	н	246	11	Worked	Bone
886	н	246	11	Pot sherd	Ceramic
887	н	246	Ш	Handle?	Fe
888	н	246	1	Loop	Fe
889	н	246	1	Nails	Fe
890	н	246	1	Indeterminate	Fe
891	н	246	1	Indeterminate	Fe
892	н	246	11	Nail	Fe
893	н	246	1	Manuports	Stone
894	н	246	1	Indeterminate	Fe
895	н	246		Indeterminate	Stone
896	н	221	1	Indeterminate	Cu
897	Н	246		Loop	Cu
898	E3	211		Fire Starter?	Red Sandstone
899	н	246		Indeterminate	Fe
900	E3	226		Indeterminate	Fe
901	E3	226	1	Indeterminate	Cu
902	н	246		Indeterminate	Fe
903	н	246	1	Whetstone	Stone
904	н	246	1	Indeterminate	Fe
905	Н	246	11	Nail	Fe
906	Н	246		Sherd	Ceramic
907	н	246		Indeterminate	Fe
908	н	246		Indeterminate	Fe
909	н	246	ï	Indeterminate	Fe
910	н	246	"	Loop	Fe
911	н	246	"	Sheet	Fe
912	н	240	"	Manuport	Stone
312	11	240	"	Fragments	Otoric

914	нг	246		Hinge	Cu
915	н	246		Whetstone	Stone
916	н	246		Indeterminate	Cu
917	н	246		Loops	Cu
918	н	246		Indeterminate, 1 nail	Fe
919	н	246	II I	Loop	Cu
920	н	246		Indeterminate	Fe
921	E3	238		Indeterminate	Fe
922	E3	226		Indeterminate	Fe
923	E3	226	1	Nail?	Fe
924	н	246		Indeterminate	Fe
925	E3	247	1	Manuport	Stone
926	н	229		Indeterminate	Cu+Bone
927	н	246		Strip	Cu
928	н	254	?	Indeterminate	Fe
929	н	256		Manuports	Stone
930	н	254	?	Loop	Cu
931	н	256	I	Flake	Obsidian
932	н	246		Flake	Obsidian
933	н	252		Fragment	Glass
934	н	246		Fragments	Glass
935	н	251	ii ii	Strip	Cu
936	н	251	1	Indeterminate	Fe
937	н	251	I II	Indeterminate	Fe
938	н	254	?	Fragment	Cu
939	н	252		Indeterminate	Fe

Sample register

Sample number	Area	Context	Quantity	Description
			Bag/Buckets	
1	E3	204	1 Bag	Post 1717 tephra?
2	E3	211	10 L	Brown soil with charcoal
3	Н	214	10 L	Lensed midden deposit
4	E3	216	10 L	Brown soil with some midden
5	E3	217	10 L	Medium brown midden deposit
6	Н	219	10 L	Medium brown midden deposit
7	Н	221	10 L	Brown grey mottled
8	Н	221	1 Bag	Birch bark
9	Н	224	10 L	Dark grey brown deposit
10	E3	226	10 L	Turf and midden deposit
11	H	229	10 L	Grey brown
12	E3	226	1 Bag	Wood (burnt partially)
13	Н	231	10 L	Mid-grey midden
14	E3	230	10 L	Mottled brown midden
15	Н	224	1 Bag	Birch bark
16	E3	233	10 L	Motted tan-brown midden
17	н	234	10 L	Mottled brown midden
18	E3	236	10 L	Turf debris
19	E3	235	Small bag	Tephra (1158?)below 233
20	Н	239	10 L	Uniform brown deposit
21	E3	238	10 L	Mix of gravel and turf
22	E3	242	10 L	Orange brown midden
23	E3	243	10 L	Turf debris and gravel
24	Н	246	10 L	Wood ash midden
25	E3	247	10 L	Mixed midden in crevice
26	E3	248	10 L	Turf deposit in crevice
27	Н	246	10 L	Charcoal wood ash midden
28	Н	246	1 Bag	Organic soil from cow skull
29	E3	250	10 L	Midden at base of crevice
30	Н	251	Small bag	Tephra
31	Н	252	10 L	Grey midden deposit
32	Н	246	1 piece	Sulfur
33	Н	246	1 Bag	Wood
34	Н	251	1 Bag	Tephra Sample
35	н	246	1 Bag	Wood/carbonized